



Sharjah Municipality, Kalba

Sharjah Municipality Capitox extended aeration sewage treatment plant **Project Name:**

Client/Operator: Sharjah Municipality Kalba, Sharjah, UAE Location: Project Size: STP processing 1,100m³/day

Services Provided: Design and installation of Extended Aeration Treatment Plant

Products Provided: Capitox Extended Aeration Sewage Treatment Plant



Yas Island, Abu Dhabi

Proiect Name: Yas Island Worker Camp Sewerage Treat Plant (STP)

Client/Operator:

Yas Island Worker Camp Sewerage Treat Plant (STP), Abu Dhabi, UAE Location:

Project Size: STP processing 3,000m³/day

Services Provided: Concept, design and installation of STP for Yas Island construction worker camp

STP with Moving Bed Biological Reactor (MBBR) producing water suitable for irrigation purposes



Al Reef Villas, Abu Dhabi

Project Name: Al Reef Villas Client/Operator: Manazel Real Estate Al Reef Villas, Abu Dhabi, UAE

Project Size: STP processing 1,000m³/day

Services Provided: Concept, design and installation of STP for Al Reef Villas (1100 villa complex)

Products Provided: STP with Moving Bed Biological Reactor (MBBR) producing water for irrigation purposes



Sir Bani Yas, Abu Dhabi

Sir Bani Yas Hotel Development (3 STP Plants) Project Name:

Client/Operator:

Sir Bani Yas Hotel, Abu Dhabi, UAE

Project Size: STP processing 120m³/day, 20m³/day and 15m³/day Services Provided: Supply, installation & commissioning of UTB STP plants **Products Provided:** Underground Trickling Biofilter and pumping stations



Wadi Al Helo, Sharjah

Project Name: 30 Nos. and 50 Nos. Villas Compound at Wadi Al Helo

Sharjah Municipality Wadi Al Helo, Sharjah, UAE Client/Operator: Location: STP processing 70m³/day Project Size:

Services Provided: Supply and installation of Sewage Treatment Plant

Underground Trickling Biofilter (UTB) **Products Provided:**



Al Maha Desert Resort, Dubai

Project Name: Al Maha Desert Resort (3 STP Plants)

Client/Operator: Al Maha Desert Resort

Location: Dubai, UAE Project Size:

STP processing 80m³/day, 25m³/day and 15m³/day Supply and installation of Sewage Treatment Plant Services Provided:

Underground Trickling Biofilter (UTB) **Products Provided:**



ABU DHABI OFFICE P.O. Box 73374 T: +971 2 627 3188 : +971 2 627 3185

P.O. Box 7475 F: +971 6 748 1988

AJMAN OFFICE T: +971 6 748 1700 **DUBAI OFFICE** P.O. Box 27930 T: +971 4 408 8777 F: +971 4 408 8788

SHARJAH OFFICE P.O. Box 5985 T: +971 6 542 0888 F: +971 6 542 0332

JEDDAH OFFICE Almalkis Bldg., 2nd Fl. King Road, Jeddah, KSA T: +966 2 607 9356

MUSCAT OFFICE P.O. Box 583 T: +968 245 04280



Septech MBBR Moving Bed Biological Reactor STP



Septech Holdings Limited (SHL) was formed in 1997 as the parent company to a number of operating subsidiaries that serve as regional infrastructure operating entities across the Asia, Australia, Europe and the Middle East and North African marketplaces.

The establishment of SHL introduced the founders to the marketplace of the Middle East through a number pre-existing transactions that preceded in Asia and Australia by the founder and today's CEO, David Heffernan. Over the years, the group has increased its investment profile and talent pool to include the establishment of operating entities in Australia, Oman and Saudi Arabia.

Having a primary focus on addressing the world's water shortages and related infrastructure requirements in developed and emerging markets, SHL as a group is poised to provide a number of specialised solutions to primary and secondary infrastructure markets, these include: Municipal, Industrial and Domestic. SHL draws upon the global corporate structure of specialised entities including New Water Corporation Limited, EMtech, and Septech to offer solutions in the water, wastewater, mobile water, precast, marine, specialised infrastructure pipes and utilities management industry sectors.

On a backdrop of over one decade of successful operations and project execution, SHL partnered with the Middle East region's largest and most prominent Investment Bank, Shuaa Capital. The successful partnership has allowed SHL to vigorously explore global opportunities in the water and wastewater markets and make strategic investments in countries that offer future growth potential.

The group's successful track record to date has been attributed to by the quality of our outstanding people who have been drawn from a global pool of talent. We strive to excel and to maintain our position as a leading water and related infrastructure company through a highly focused approach. The future success of SHL is driven by the committed and combined vision of its founders, allowing the group to further cement its position as the market leader in innovative water solutions.

Septech MBBR

Moving Bed Bio Reactor (MBBR) is an attached growth activated sludge process. The basis of the process is the carrier elements (or biomedia) that are made from polyethylene. The biomedia provide a large protected surface area for the aerobic biofilm and optimal conditions for the bacteria culture to grow and thrive. The biofilm is responsible for the biological oxidation of organic constituents in the wastewater. The MBBR reactor can be loaded with biomedia up to 40% to 60% of the tank's effective volume thus, significantly reducing the required footprint.

Advantages of the MBBR system over other activated sludge processes are:

- Reduced footprint for the aeration tank (MBBR reactor) and overall plant footprint Relatively stable and can withstand shock loads
- Low sludge production
- Mother Liquor Suspended Solids (MLSS) is not a design parameter so no need for Return Activated Sludge (RAS) and the associated pumps/pumping facilities
- Modular design, easy to expand
- Utilises medium/coarse bubble diffusers, instead of more expensive fine bubble systems
- May be used to retrofit or upgrade existing conventional activated sludge plants without need for new tanks

Service and After Sales

Septech gives you one-stop shopping for a complete and comprehensive waste management system, for seamless integration, both aesthetic and functional with your environment. Septech provides a full back-up after sales service to ensure the installation runs e ectively, including long term contract maintenance, if required.








Al Reef Villas, Abu Dhabi, UAE

A typical process flow diagram of the MBBR Sewage Treatment Plant



Aeration System

- The aeration system for the MBBR reactor consists of a peripheral aeration and airlifts
- The cleansing effect of the airlifts makes the MBBR Reactor constantly self cleaning
- The debris cleared off the biomedia, consisting almost exclusively of inert bacteria cell membranes, is flushed out of the aeration tank with the general circulation
- The system has 3 compartments and is designed for removal of maximum Biological Oxygen Demand (BOD) in the 1st and 2nd compartment while the nitrification is carried out in the 3rd compartment
- Air from positive displacement blowers is supplied to fulfill the oxygen requirement for the process

Settling Tanks

 The incoming water from the reactor tank is allowed to settle in the settlement tank to separate solids from clear water. The tank is designed for conservative overflow rate to ensure good separation and minimise solids carryover into chlorine contact tank

Chlorine Contact Tank

 The supernatant liquid overflows from settlement tank to chlorine contact tank via V-notch. Sodium Hypochlorite is dosed and the sufficient residance time is provided for disinfection

Tertiary Filtration

 As a final step, this disinfected Treated Sewage Effluent (TSE) is filtered for achieving the Effluent water quality, prior to transfer to TSE storage tank

Influent Characteristics

Parameter	Unit	Values
BOD ₅	mg/l	300
COD	mg/l	500
Total Suspended Solids (TSS)	mg/l	250
Ammonia Nitrogen (NH ₃ -N)	mg/l	30
Oil and Grease	mg/l	< 2
рН	units	6.5 - 8.5
Wastewater Temperature	Deg C	25 - 35
Total coliform	MPN/100 ml	10 ⁷ - 10 ⁸

The above table shows a typical analysis of domestic sewage for which our MRRR units are designed

Effluent Quality

Parameter	Unit	Values
BOD ₅	mg/l	≤ 10
TSS	mg/l	≤ 10
рН	units	6 - 9
NH ₃ -N	mg/l	≤ 5
Oil and Grease	mg/l	≤ 1
Wastewater Temperature	Deg C	25 - 35
Total coliform	MPN/100 ml	≤20

Treated sewage quality shall be as follows if the influent parameters are compliant to the above and the STP is operated in accordance with the O&M manual that will be provided by Septech.

- A world-class diverse management team, consisting of water infrastructure specialists with local and global expertise
- A mature and solid financial base
- A prestigious shareholder profile
- A symbiotic business unit structure, allowing the tailoring of complete project solutions: from design through to execution and maintenance
- Exclusive regional manufacturing and license agreements with global leaders
- A regional home base with presence in neighbouring Middle Eastern countries
- Specialised design-build-operate management capabilities
- Purpose built manufacturing facilities throughout the UAE
- Dedication to adhering to the most stringent global standards for manufacturing and environmental awareness
- ISO 9001:2008 Accreditation
- Compliance with IFRS Accounting Standards





Sharjah Municipality, Kalba

Project Name: Sharjah Municipality Capitox extended aeration sewage treatment plant

Client/Operator: Sharjah Municipality Kalba, Sharjah, UAE Location: Project Size: STP processing 1,100m³/day

Services Provided: Design and installation of Extended Aeration Treatment Plant

Products Provided: Capitox Extended Aeration Sewage Treatment Plant



Yas Island, Abu Dhabi

Proiect Name: Yas Island Worker Camp Sewerage Treat Plant (STP)

Client/Operator:

Yas Island Worker Camp Sewerage Treat Plant (STP), Abu Dhabi, UAE Location:

Project Size: STP processing 3,000m³/day

Services Provided: Concept, design and installation of STP for Yas Island construction worker camp

Products Provided: STP with Moving Bed Biological Reactor (MBBR) producing water suitable for irrigation purposes



Al Reef Villas, Abu Dhabi

Project Name: Al Reef Villas Client/Operator: Manazel Real Estate

Al Reef Villas, Abu Dhabi, UAE Project Size: STP processing 1,000m³/day

Services Provided: Concept, design and installation of STP for Al Reef Villas (1100 villa complex)

Products Provided: STP with Moving Bed Biological Reactor (MBBR) producing water for irrigation purposes



Sir Bani Yas, Abu Dhabi

Sir Bani Yas Hotel Development (3 STP Plants) Project Name:

Client/Operator:

Sir Bani Yas Hotel, Abu Dhabi, UAE

Project Size: STP processing 120m³/day, 20m³/day and 15m³/day Services Provided: Supply, installation & commissioning of UTB STP plants **Products Provided:** Underground Trickling Biofilter and pumping stations



Wadi Al Helo, Sharjah

30 Nos. and 50 Nos. Villas Compound at Wadi Al Helo Project Name:

Sharjah Municipality Wadi Al Helo, Sharjah, UAE Client/Operator: Location: STP processing 70m³/day Project Size:

Services Provided: Supply and installation of Sewage Treatment Plant

Underground Trickling Biofilter (UTB) **Products Provided:**



Al Maha Desert Resort, Dubai

Project Name: Al Maha Desert Resort (3 STP Plants)

Al Maha Desert Resort Client/Operator:

Location: Dubai, UAE

STP processing 80m³/day, 25m³/day and 15m³/day Supply and installation of Sewage Treatment Plant Project Size: Services Provided:

Underground Trickling Biofilter (UTB) **Products Provided:**



ABU DHABI OFFICE P.O. Box 73374 T: +971 2 627 3188 : +971 2 627 3185

P.O. Box 7475 T: +971 6 748 1700

AJMAN OFFICE F: +971 6 748 1988 **DUBAI OFFICE** P.O. Box 27930 T: +971 4 408 8777 F: +971 4 408 8788

SHARJAH OFFICE P.O. Box 5985 T: +971 6 542 0888 F: +971 6 542 0332

JEDDAH OFFICE Almalkis Bldg., 2nd Fl. King Road, Jeddah, KSA T: +966 2 607 9356

MUSCAT OFFICE P.O. Box 583 T: +968 245 04280



Septech UTB Underground Trickling Biofilter



Septech Holdings Limited (SHL) was formed in 1997 as the parent company to a number of operating subsidiaries that serve as regional infrastructure operating entities across the Asia, Australia, Europe and the Middle East and North African marketplaces.

The establishment of SHL introduced the founders to the marketplace of the Middle East through a number pre-existing transactions that preceded in Asia and Australia by the founder and today's CEO, David Heffernan. Over the years, the group has increased its investment profile and talent pool to include the establishment of operating entities in Australia, Oman and Saudi Arabia.

Having a primary focus on addressing the world's water shortages and related infrastructure requirements in developed and emerging markets, SHL as a group is poised to provide a number of specialised solutions to primary and secondary infrastructure markets, these include: Municipal, Industrial and Domestic. SHL draws upon the global corporate structure of specialised entities including New Water Corporation Limited, EMtech, and Septech to offer solutions in the water, wastewater, mobile water, precast, marine, specialised infrastructure pipes and utilities management industry sectors.

On a backdrop of over one decade of successful operations and project execution, SHL partnered with the Middle East region's largest and most prominent Investment Bank, Shuaa Capital. The successful partnership has allowed SHL to vigorously explore global opportunities in the water and wastewater markets and make strategic investments in countries that offer future growth potential.

The group's successful track record to date has been attributed to by the quality of our outstanding people who have been drawn from a global pool of talent. We strive to excel and to maintain our position as a leading water and related infrastructure company through a highly focused approach. The future success of SHL is driven by the committed and combined vision of its founders, allowing the group to further cement its position as the market leader in innovative water solutions.

Septech UTB

Septech designs, manufactures, installs and maintains biofilters which are encased in a precast concrete modular unit with a capacity ranging from 5m³/day to 150m³/day.

Quality of treated effluent exceeds irrigation standards without the use of tertiary treatment of pressure.

Advantages of this system include:

- Projects take days, rather than months to complete
- Ten times less sludge accumulation than extended aeration plants
- No separate plantroom or sludge storage tanks required
- Noiseless and odourless
- Aesthetically pleasing installed underground
- No full time operator required
- Proven track record throughout the UAE
- Easily maintained by unskilled workers

The Septech UTB System has been installed at various locations throughout the Emirates, including Ajman City Centre, Sharjah Expo Centre, Gulf Extrusion Factory, Abu Al Abyad and Sir Baniyas Islands, Emirates Stud Farm, Etisalat Academy, Dubai Outsource Zone, Wadi Al Helo Villas, Al Khawaneej Private Palace and Al Maha Desert Resort.

When is UTB recommended?


The UTB is ideal for a variety of different client profiles including schools, office complexes, labour camps, exhibition halls, villa compounds and shopping centres.







A typical diagram of the UTB Sewage Treatment Plant



- A world-class diverse management team, consisting of water infrastructure specialists with local and global expertise
- A mature and solid financial base
- A prestigious shareholder profile
- A symbiotic business unit structure, allowing the tailoring of complete project solutions: from design through to execution and maintenance
- Exclusive regional manufacturing and license agreements with global leaders
- A regional home base with presence in neighbouring Middle Eastern countries
- Specialised design-build-operate management capabilities
- Purpose built manufacturing facilities throughout the UAE
- Dedication to adhering to the most stringent global standards for manufacturing and environmental awareness
- ISO 9001:2008 Accreditation
- Compliance with IFRS Accounting Standards





Sharjah Municipality, Kalba

Sharjah Municipality Capitox extended aeration sewage treatment plant **Project Name:**

Client/Operator: Sharjah Municipality Kalba, Sharjah, UAE Location: Project Size: STP processing 1,100m³/day

Services Provided: Design and installation of Extended Aeration Treatment Plant

Products Provided: Capitox Extended Aeration Sewage Treatment Plant



Yas Island, Abu Dhabi

Proiect Name: Yas Island Worker Camp Sewerage Treat Plant (STP)

Client/Operator:

Yas Island Worker Camp Sewerage Treat Plant (STP), Abu Dhabi, UAE Location:

Project Size: STP processing 3,000m³/day

Services Provided: Concept, design and installation of STP for Yas Island construction worker camp

Products Provided: STP with Moving Bed Biological Reactor (MBBR) producing water suitable for irrigation purposes



Al Reef Villas, Abu Dhabi

Project Name: Al Reef Villas Client/Operator: Manazel Real Estate

Al Reef Villas, Abu Dhabi, UAE Project Size:

STP processing 1,000m³/day

Services Provided: Concept, design and installation of STP for Al Reef Villas (1100 villa complex)

Products Provided: STP with Moving Bed Biological Reactor (MBBR) producing water for irrigation purposes



Sir Bani Yas, Abu Dhabi

Sir Bani Yas Hotel Development (3 STP Plants) Project Name:

Client/Operator:

Sir Bani Yas Hotel, Abu Dhabi, UAE

Project Size: STP processing 120m³/day, 20m³/day and 15m³/day Services Provided: Supply, installation & commissioning of UTB STP plants **Products Provided:** Underground Trickling Biofilter and pumping stations



Wadi Al Helo, Sharjah

30 Nos. and 50 Nos. Villas Compound at Wadi Al Helo Project Name:

Sharjah Municipality Wadi Al Helo, Sharjah, UAE Client/Operator: Location: STP processing 70m³/day **Project Size:**

Services Provided: Supply and installation of Sewage Treatment Plant

Underground Trickling Biofilter (UTB) **Products Provided:**



Al Maha Desert Resort, Dubai

Project Name: Al Maha Desert Resort (3 STP Plants)

Client/Operator: Al Maha Desert Resort

Location: Dubai, UAE Project Size:

STP processing $80m^3\!/day$, $25m^3\!/day$ and $15m^3\!/day$ Supply and installation of Sewage Treatment Plant Services Provided:

Underground Trickling Biofilter (UTB) **Products Provided:**



ABU DHABI OFFICE P.O. Box 73374 : +971 2 627 3185

AJMAN OFFICE P.O. Box 7475 T: +971 6 748 1700

F: +971 6 748 1988

DUBAI OFFICE P.O. Box 27930 T: +971 4 408 8777 F: +971 4 408 8788

SHARJAH OFFICE P.O. Box 5985 T: +971 6 542 0888 F: +971 6 542 0332

JEDDAH OFFICE

Almalkis Bldg., 2nd Fl.

T: +966 2 607 9356

King Road, Jeddah, KSA

MUSCAT OFFICE P.O. Box 583 T: +968 245 04280



Septech Capitox Sewage Treatment Package Plant

Septech Holdings Limited (SHL) was formed in 1997 as the parent company to a number of operating subsidiaries that serve as regional infrastructure operating entities across the Asia, Australia, Europe and the Middle East and North African marketplaces.

The establishment of SHL introduced the founders to the marketplace of the Middle East through a number pre-existing transactions that preceded in Asia and Australia by the founder and today's CEO, David Heffernan. Over the years, the group has increased its investment profile and talent pool to include the establishment of operating entities in Australia, Oman and Saudi Arabia.

Having a primary focus on addressing the world's water shortages and related infrastructure requirements in developed and emerging markets, SHL as a group is poised to provide a number of specialised solutions to primary and secondary infrastructure markets, these include: Municipal, Industrial and Domestic. SHL draws upon the global corporate structure of specialised entities including New Water Corporation Limited, EMtech, and Septech to offer solutions in the water, wastewater, mobile water, precast, marine, specialised infrastructure pipes and utilities management industry sectors.

On a backdrop of over one decade of successful operations and project execution, SHL partnered with the Middle East region's largest and most prominent Investment Bank, Shuaa Capital. The successful partnership has allowed SHL to vigorously explore global opportunities in the water and wastewater markets and make strategic investments in countries that offer future growth potential.

The group's successful track record to date has been attributed to by the quality of our outstanding people who have been drawn from a global pool of talent. We strive to excel and to maintain our position as a leading water and related infrastructure company through a highly focused approach. The future success of SHL is driven by the committed and combined vision of its founders, allowing the group to further cement its position as the market leader in innovative water solutions.

Septech Capitox Sewage Treatment Package

The Capitox range of compact, packaged sewage treatment plants for small communities is designed to extended aeration parameters. This weel proven activated sludge principle of sewage treatment is accepted as one of the most reliable methods of requiring a minimum of attention or maintenance and is ideally suitable for small villages, hotel developments, housing estates, universities and any other location that is separated from local municipal sewerage facilities.

A consistent high quality effluent is produced for discharge to rivers or for use in irrigation systems without further treatment. As with all treatment systems, a certain amount of sludge is produced which must be removed periodically. However, an important benefit of the Capitox system that is sludge is retained in the system and no separate sludge storage units, with attendant problems of septicity, are necessary.

Treatment Process

The activated sludge process is based on the fact that organic pollution contained within an effluent can bi utilised in conjuntion with atmospheric oxygen as a source of food by particular groups of microorganisms. This process normally takes place when polluted water are discharged to clean rivers or streams, but in this case, the number of miscroorganisms present is relatively low and the process takes place at a relatively slow rate.

In activated sludge systems, the microorganisms concentration is kept high and the rate of reaction is therefore very fast. This high concentration is achieved by separating the microorganisms or activated sludge from the effluent in a settling tank, and recirculating to the reaction or aeration tank where it will effect further biological oxidation of freshly introduced effluent. The polluting substances in the effluent are utilised by the microorganisms for two purposes. Firstly, for the production of energy to enable them to move and secondly, for the production of new cell matter, i.e. the growth of the organism.







Shariah Municipality Capitox STP, Shariah, UA



Construction


Capitox plants are supplied with steel tanks as a standard but concrete tanks may be used if so desired. The standard steel tanks are manufactured in prefabricated sections and protected with a vitreous enamel coating. The tank sections forming the tanks are grouted into a simple concrete base slab. A tripod support is provided for the surface aerator and drive assembly and a common steel access bridge provides access to the center of the aeration and settling tanks. The aeration equipment includes a medium speed surface aerator and an adjustable weir for mixed liquor off-take to the settling tank(s). Circular settling tanks are provided with a mechanical scraping mechanism fitted rubber edged 'echeleon' type scraper blades. The settled sludge in the center well of the settling tank is returned to the aeration tank by dry mounted return activated sludge pumps arranged in duty/standby configuration. Waste sludge is drawn from the system via a valve onthe discharge pipework of the return activated sludge pumps.


In situations where gravity feed is not available, the raw sewage flow to the system may be collected in a lump and fed to the aeration tank by submersible electric macerator type pumps. On larger Capitox units, a separate macerator unit is provided. Level probes or switches normally control the level in the sump, and the provision of a standby pump unit is generally advisable.

Where the discharge consent criteria necessitates tertiary treatment stages, chlorination and/or filtration add-on packages can be provided. Chlorination can be either a liquid drip type feed or a gas type and can be supplied with a contact tank as preffered. Filtration units, to provide an effluent quality of better than 10mg/I BOD and 10mg/I SS, are of the continuous sand filter type complete with feed pumps and compressor units. The washwater from the filters is returned to the head of the plant for re-treatment.

The utilisation of polluting substance for the production of energy is accompanied by the production of carbon dioxide and water, the former being lost from the system as a harmless gas. The use of polluting substances for the synthesis of new cells results in an accumulation of an excessive number of cells and hence gives rise to the production of surplus activated sludge. This must be taken from the system at regular intervals once the required concentration of activated sludge has accumulated.

Key Features and Benefits





- A world-class diverse management team, consisting of water infrastructure specialists with local and global expertise
- A mature and solid financial base
- A prestigious shareholder profile
- A symbiotic business unit structure, allowing the tailoring of complete project solutions: from design through to execution and maintenance
- Exclusive regional manufacturing and license agreements with global leaders
- A regional home base with presence in neighbouring Middle Eastern countries
- Specialised design-build-operate management capabilities
- Purpose built manufacturing facilities throughout the UAE
- Dedication to adhering to the most stringent global standards for manufacturing and environmental awareness
- ISO 9001:2008 Accreditation
- Compliance with IFRS Accounting Standards





Sharjah Municipality, Kalba

Project Name: Sharjah Municipality Capitox extended aeration sewage treatment plant

Client/Operator: Sharjah Municipality Kalba, Shariah, UAE Location: Project Size: STP processing 1,100m³/day

Services Provided: Design and installation of Extended Aeration Treatment Plant

Products Provided: Capitox Extended Aeration Sewage Treatment Plant



Yas Island, Abu Dhabi

Proiect Name: Yas Island Worker Camp Sewerage Treat Plant (STP)

Client/Operator:

Yas Island Worker Camp Sewerage Treat Plant (STP), Abu Dhabi, UAE Location:

Project Size: STP processing 3,000m³/day

Services Provided: Concept, design and installation of STP for Yas Island construction worker camp

STP with Moving Bed Biological Reactor (MBBR) producing water suitable for irrigation purposes



Al Reef Villas, Abu Dhabi

Project Name: Al Reef Villas Client/Operator: Manazel Real Estate

Al Reef Villas, Abu Dhabi, UAE Project Size: STP processing 1,000m³/day

Services Provided: Concept, design and installation of STP for Al Reef Villas (1100 villa complex)

Products Provided: STP with Moving Bed Biological Reactor (MBBR) producing water for irrigation purposes



Sir Bani Yas, Abu Dhabi

Sir Bani Yas Hotel Development (3 STP Plants) Project Name:

Client/Operator:

Sir Bani Yas Hotel, Abu Dhabi, UAE

Project Size: STP processing 120m³/day, 20m³/day and 15m³/day Services Provided: Supply, installation & commissioning of UTB STP plants **Products Provided:** Underground Trickling Biofilter and pumping stations



Wadi Al Helo, Sharjah

30 Nos. and 50 Nos. Villas Compound at Wadi Al Helo Project Name:

Sharjah Municipality Wadi Al Helo, Sharjah, UAE Client/Operator: Location: STP processing 70m³/day **Project Size:**

Services Provided: Supply and installation of Sewage Treatment Plant

Underground Trickling Biofilter (UTB) **Products Provided:**



Al Maha Desert Resort, Dubai

Project Name: Al Maha Desert Resort (3 STP Plants)

Client/Operator: Al Maha Desert Resort Location:

Dubai, UAE

STP processing 80m³/day, 25m³/day and 15m³/day Project Size: Supply and installation of Sewage Treatment Plant Services Provided:

Underground Trickling Biofilter (UTB) **Products Provided:**



ABU DHABI OFFICE P.O. Box 73374 T: +971 2 627 3188 : +971 2 627 3185

P.O. Box 7475

AJMAN OFFICE T: +971 6 748 1700 F: +971 6 748 1988 **DUBAI OFFICE** P.O. Box 27930 T: +971 4 408 8777 F: +971 4 408 8788

SHARJAH OFFICE P.O. Box 5985 T: +971 6 542 0888 F: +971 6 542 0332

JEDDAH OFFICE Almalkis Bldg., 2nd Fl. King Road, Jeddah, KSA T: +966 2 607 9356

P.O. Box 583 T: +968 245 04280



Septech Domestic Wastewater Treatment Solutions Enviro-Pack Domestic Sewage Treatment Plant



Septech Holdings Limited (SHL) was formed in 1997 as the parent company to a number of operating subsidiaries that serve as regional infrastructure operating entities across the Asia, Australia, Europe and the Middle East and North African marketplaces.

The establishment of SHL introduced the founders to the marketplace of the Middle East through a number pre-existing transactions that preceded in Asia and Australia by the founder and today's CEO, David Heffernan. Over the years, the group has increased its investment profile and talent pool to include the establishment of operating entities in Australia, Oman and Saudi Arabia.

Having a primary focus on addressing the world's water shortages and related infrastructure requirements in developed and emerging markets, SHL as a group is poised to provide a number of specialised solutions to primary and secondary infrastructure markets, these include: Municipal, Industrial and Domestic. SHL draws upon the global corporate structure of specialised entities including New Water Corporation Limited, EMtech, and Septech to offer solutions in the water, wastewater, mobile water, precast, marine, specialised infrastructure pipes and utilities management industry sectors.

On a backdrop of over one decade of successful operations and project execution, SHL partnered with the Middle East region's largest and most prominent Investment Bank, Shuaa Capital. The successful partnership has allowed SHL to vigorously explore global opportunities in the water and wastewater markets and make strategic investments in countries that offer future growth potential.

The group's successful track record to date has been attributed to by the quality of our outstanding people who have been drawn from a global pool of talent. We strive to excel and to maintain our position as a leading water and related infrastructure company through a highly focused approach. The future success of SHL is driven by the committed and combined vision of its founders, allowing the group to further cement its position as the market leader in innovative water solutions.

Septech Enviro-Pack Domestic Sewage Treatment Plant

The Enviro-Pack Domestic sewage treatment system effectively treats effluent flows up to 4m³ per day and is suited to a variety of applications, including villas, mosques and holiday resorts.

Treated effluent is of a consistently high standard and mechanical components in contact with the wastewater are of non-corrosive material. The Septech Enviro-Pack Domestic Sewage Treatment Plant ensures treated effluent is odour-free and meets local and international environmental laws, even after extended periods of non-use.

Installed in one day by the client or Septech, plant operation is noiseless, odourless and a low ground profile means the treatment plant is aesthetically pleasing and easily concealed within the garden landscape.

One Pump System

The Enviro-Pack Domestic sewage treatment plant, backed by a Septech warranty and servicing agreement is operated and maintained via a reliable, single pump system, reducing operation and maintenance cost.

The Process


- Wastewater is gravity fed into the primary septic tank where waste undergoes settlement and digestion across a 24-hour period
- Settled wastewater then flows into the aeration chamber where effluent is mixed, diluted and aerated, via coarse bubble jets
- Organic matter in the wastewater is oxidised by micro-organisms growing on the fixed bed of polyethylene media in the aeration chamber
- Organic impurities in the wastewater are progressively reduced
- Treated wastewater undergoes settlement in the secondary tank due to reduced flow velocity which causes sludge particles to settle to the bottom of the tank
- Clean wastewater flows upward through a biofilter developed by Septech, further polishing the wastewater







A typical process flow diagram of the Enviro-Pack Sewage Treatment Plant



Continual Cycle

Sludge automatically returns and is stored, via the vortex lift in the secondary tank to the inlet of the primary sewage tank on a continual basis, with the following benefits:

- Storing and digesting settled sludge in the primary septic tank reduces sludge accumulation in the final settlement tank, reducing solids carry over into the irrigation chamber
- Clean effluent, recycled through the plant suppresses odour producing micro-organism activity
- By continuously recycling treated effluent, the biomass in the aeration chamber is fed stored organics from the primary sewage tank, keeping micro-organisms at maximum population levels and reducing the potential for insufficient food supply to the treatment plant during extended periods of non-use, such as weekends and holidays. This means that untreated effluent is prevented from being discharged from the unit when waste flow recommences



- A world-class diverse management team, consisting of water infrastructure specialists with local and global expertise
- A mature and solid financial base
- A prestigious shareholder profile
- A symbiotic business unit structure, allowing the tailoring of complete project solutions: from design through to execution and maintenance
- Exclusive regional manufacturing and license agreements with global leaders
- A regional home base with presence in neighbouring Middle Eastern countries
- Specialised design-build-operate management capabilities
- Purpose built manufacturing facilities throughout the UAE
- Dedication to adhering to the most stringent global standards for manufacturing and environmental awareness
- ISO 9001:2008 Accreditation
- Compliance with IFRS Accounting Standards